
REVISIONS								
REV	ECO	DESCRIPTION	DATE	BY	APPR			
A1	-	TECHNICAL DATA SHEET RELEASE	12-MAY-14	KMM	RFC			


IIILE:

M35 PB LITE, CLOSURE CAP, MALE, TRUNK

DWG NO:

C-P29042





										_
Do N Ris Ne pa	Risk of Electrical Sh ot Disconnect Under que de chocs electi s debrancher sous	er Load. riques tension.								-
	PART NUMBER				DESCRIPTION					ITEM -
QUANTITY		MATERIALS LIST								
UNLESS OTHER	WISE SPECIFIED	SIGNATURES		DATE		Λ				
 All dimensions a Tolerances are a PL DEC ±0.30 		DRAWN:	KMM	12-MAY-14		A	mphe	eno		
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:	MRF	12-MAY-14		Sin	e Systems - www.amphen	ol-sine.com		_
3 PL DEC ± 0.08 3) Note reference = X		ENGINEER:	KMM		44724 Morley Drive Clinton Township, MI 48036					
MATERIAL SPECIFICA	TIONS	APPROVAL:	RFC	12-MAY-14			Clinton Township, Ivit 460	130		
		CUSTOMER: M35 PB LITE, CLOSURE CAP								
		THIS DRAWING				FOR	MALE CONNECTO	DR, TRUI	١K	
PROCESS SPECIFICATIONS:		INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAI				A	1510N			
NEXT ASS'Y:		MANUFACTUR			SCALE: F	ULL	C-P29042	SHEET 1	OF	1

TECHNICAL DATA:

1) MATERIALS: HOUSING: MACHINED ALUMINUM, ANODIZED 2) RoHS COMPLIANT