

## REVISION AA

WIRE CRIIMP SCALE 16:1





TABLE 1												
P/N	AWG	STRANDS/AWG	INSULATION OD	"A"	"B"	"C"	"G" MAX (VESTIGE LENGTH)	"H" MAX (TAB LENGTH)	"J" MAX (VESTIGE LENGTH)	"I" MAX (TAB LENGTH)	PULL FORCE (LBS)	
CC03X-2830-01-XX	30	7/38	.02900380	0.0170	0.0300	0.105	0.003	0.0075	0.001	0.002	1.5	
	28	7/36		0.0180	0.0300		0.003	0.0075	0.001	0.002	2	

**INSULATION STRIP LENGTH** 

FIG 2 RECOMENDED PROCESSING

## **UNWINDING DIRECTION**






FIG 3
REEL SPECIFICATIONS

TABLE 2								
SUPPLIED	REEL PART NUMBER	"D"	"E"	Ë.				
-R	R-24-05.00-0.75-P	24.0	5.50	1.125				
-M	MR-13.0-4.00-16	13.0	4.00	0.500				

## PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNALITHORIZED PRESON OR ENTITY NOR PERPODUCED, TRANSFERRED OR HOCORPORATED IN ANY OTHER PROJECT IN ANY MANUFE WITHOUT THE EXPRESS WHITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 6:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com code: 55322

DESCRIPTION:

.050" C.L. DISCRETE WIRE CONTACT

DWG. NO.

CC03X-XXXX-01-XX

BY: BRATCHER 3/8/2005

SHEET 2 OF 2