



DATASHEET

Part No. 1000418 Product: Wi-Fi / BT / Wi-Fi 6E/7 Embedded Stamp Metal Antenna

Part No. 1000418

WLAN BT Zigbee Wi-Fi 6E/7 Embedded Stamped Metal Antenna

2.4 GHz. 5 GHz, 6 GHz

Supports: Wi-Fi applications, Wi-Fi 6E, Bluetooth, Zigbee, WLAN



KYOCERA AVX WLAN antennas use specific technology in a trace configuration to provide high performance. This antenna has unique features enabling limited range RF tuning. KYOCERA AVX antennas requires a smaller design keep-out area, carry lower program development risk which yields a quicker time-to-market, without sacrificing RF performance.

Wi-Fi / Wi-Fi 6E/7 Stamp Metal Embedded Antenna

2.400 - 2.485 GHz

5.150 - 5.825 GHz

5.925 - 7.125 GHz

KEY BENEFITS

Stay-in-Tune

KYOCERA AVX antenna technology provides superior RF field containment, resulting in less interaction with surrounding components.

Quicker Time-to-Market

By optimizing antenna size, performance and emissions, customer and regulatory specifications are more easily met.

Environmental Compliance

Products are the latest RoHS version compliant

APPLICATIONS

Embedded design
Cellular, Headsets, Tablets
Handheld devices
Smart
Telematics Tracking
Healthcare Healthcare devices
Smart Grid

OBD-II

Electrical Specifications

Typical Characteristics in Free Space with 100 mm cable

| Frequency (GHz) | 2.400 – 2.485 | 5.150 - 5.825 | 5.925 - 7.125 | |
|----------------------|--------------------|---------------|---------------|--|
| Peak Gain | 4.0 dBi | 4.2 dBi | 4.6 dBi | |
| Average Efficiency | 70% | 70% | 72% | |
| VSWR Match | <1.5:1 | <2.0:1 | <2.4:1 | |
| Feed Point Impedance | 50 ohms unbalanced | | | |
| Polarization | Linear | | | |
| Power Handling | 0.5 Watt CW | | | |

Mechanical Specifications & Ordering Part Number


| Ordering Part Number | 1000418 |
|---------------------------|-----------------------------------|
| Size (mm) | 45.0 x 11.3 x 5.1 |
| Weight (grams) | 1.6 |
| Mounting Type(s) | Screw Mount |
| Cable(s) and Connector(s) | Receptacle U.FL compatible on PCB |
| Standard(s) Compliance | RoHS, WEEE |
| Notes / Remarks | PCB, COLOR BLACK |
| Additional Resources | Download 3D FIT File |


Home





VSWR, Efficiency and Peak Gain Plots


Typical Characteristics in Free-space with 100 mm cable



























Antenna Radiation Patterns

Typical Characteristics in Free-space with 100 mm cable Measured @ 2450, 5000 MHz









Antenna Radiation Patterns

Typical Performance in Free-space Measured @ 6420 MHz









Mechanical Dimensions


Typical antenna dimensions measured in mm. Dimensions in () parenthesis are Reference Only.

| Part Number | Α | В | С |
|-------------|----------|------------------|-------|
| 1000418 | 45 ± 0.2 | (11.3 ± 0.2) | (5.1) |














Mounting Recommendations (On-Ground)

Typical antenna dimensions (mm)



*Recommended minimum spacing when the 1000418 antenna is installed over a ground plane



DATASHEET | Part No. 1000418

Wi-Fi 6 & Wi-Fi 6E/7 KYOCERA AVX Embedded Antenna Specifications KYOCERA AVX produces a wide variety of standard and custom antennas to meet user needs.

Additional Resources - 1000418

3D FIT File:

https://www.kyocera-avx.com/download/antennas/ME-FIT/1000418_ME_fit.zip