

FPM-6170

FEATURES


- ✓ 17" TFT LCD Display, Resolution: 1280*1024
- ✓ Optional Resistive Touch Screen
- ✓ Supports VGA/DVI Input
- ✓ Front Panel Using the Portable OSD Menu Setting
- ✓ Supporting Variety Mounting: Panel, VESA, Rackmount



INTRODUCTION

FPM-6170 is a 17" industrial monitor, being equipped with high performance industrial motherboard and aluminum alloy panel , it can meet various demands of harsh industrial applications.
FPM-6170-T features enhanced 5-wire resistive touch screen and FPM-6170-NT is protected with tempered glass and without touch function.

PICTURE




FPM-6170

TECH SPECS

General	Display Size	17" TFT-Panel
	Mounting	Rack, VESA, Panel
	Interfaces	1xRS232, 1xUSB, 1xDVI, 1xVGA
	Power supply	12V DC
	Power consumption	12W
	Dimension (WxHxD)	438*352*48 mm
	Net Weight	6 kgs
Touch screen	Type	5-wire resistive
	Driver	PM6000
	Knocking life	$\geq 10^6$ times with a silicone rubber R8 finger, writing rate is by 250g at 2 times/s
	Stroke Life	$\geq 10^5$ times
LCD	Type	17" TFT
	Resolution	1280*1024
	Luminance	250cd/m ²
	LCD life	50,000 hours
	Backlight life	30,000 hours
	Contrast Ratio	60%
	Viewing Angle(H/V°)	150/120
Environment	Operation Temp.	0 - 570°C
	Storage temp.	-20 - 70°C
	Vibration	8gn-200hz

FPM-6170

DIMENSIONS & I/O LOCATION



PACKING LIST

Item	Quantity
FPM-6170	1
User Manual	1

ORDERING INFORMATION

Model	Description
FPM-6170-T	Monitor 17", VGA, DVI with Resistive Touchscreen
FPM-6170-NT	Monitor 17", VGA, DVI with Tempered Glass
PSC-FPM3	Power Adapter 9-30V DC, 5A
Power Cable	1m